


Cliffside Park



*Inspired By Nature,
Made Possible By...*

CANCOS
TILE AND STONE

WALL TILE



BELCLBL824



| 8 x 24 |

BELCLBLBN28



bullnose | 2 x 8 |

BELCLBL18



| 18 x 18 |

BELCLEGLISMOS



escocia gris listel

| 2 x 24 |

BELCLEVLISMOS



escocia visone listel

| 2 x 24 |

BELCLEPLISFL



espirit perla listel

| 2 x 24 |

WALL TILE



BELCLMA824



| 8 x 24 |

BELCLMABN28



bullnose | 2 x 8 |

BELCLBL18



| 18 x 18 |

BELCLEGLISMOS



escocia gris listel

| 2 x 24 |

BELCLEVLISMOS



escocia visone listel

| 2 x 24 |

BELCLEPLISFL



espirit perla listel

| 2 x 24 |

WALL TILE



BELCLPE824



| 8 x 24 |

BELCLPEBN28



bullnose | 2 x 8 |

BELCLPE18



| 18 x 18 |

BELCLEGLISMOS



escocia gris listel

| 2 x 24 |

BELCLEVLISMOS



escocia visone listel

| 2 x 24 |

BELCLEPLISFL



espirit perla listel

| 2 x 24 |

Product Specifications

Tile Thickness	5/16"
Minimum Grout Joint Recommendation	1/16"
Shade Variation	Low (V1)

D.C.O.F. Wet	Moisture Absorption	Breaking Strength	MOH's Rating	Chemical Resistance	Abrasion Resistance
<0.42	<20%	100-230 lbs	4.0-6.5	Resistant	N/A

COMMERCIAL USAGE

APPLICATION	INTERIOR			EXTERIOR	
	Residential	Light Commercial	Commercial	Residential	Commercial
Floors / Patios (covered & uncovered)					
Walls / Backsplashes	X	X	X		
Countertops					
Pool Deckings					
Pool Linings					

RESIDENTIAL USAGE

APPLICATION	Walls	Countertops	Exterior Patios	Exterior Pool Decks
Floors	X			

Notes:

- Suitable for exterior walls in non-freezing climates when proper installation methods are followed.
- Darker colors may show scratches.