


Metallica Venetian |




*Inspired by Nature,
Made Possible by...*

CANCOS
TILE AND STONE

Chromo



Bronzo



Nickel



INSTALLATION AND MAINTENANCE INSTRUCTIONS FOR METALLICA VENETIAN BLENDS

Usage

It is recommended for interior walls and can be used for shower walls. Do not use for shower floors and in other areas submerged in water.

Installation

Only use Epoxy adhesives with high adhesion and elasticity, which are especially recommended for installing glass. Make sure to get complete coverage. All substrates should be properly reinforced to be sure there is no movement. For mortar installations, the mortar bed has to be cured (less than 2% humidity) and has to have proper reinforcing. Please refer to the TCNA HANDBOOK for more specific information regarding installation of glass tile.

Adhesives

It is strictly recommended to use only Epoxy adhesive (EFX Epoxy from TEC and/or Kerapoxy from Mapei)

Grouting

It is strictly recommended to use only Epoxy grout (EFX Epoxy from TEC and/or Kerapoxy from Mapei)

Please note: We will not be responsible, if different adhesives and grout are used, which can very likely damage the paint. In this case, we will not accept any claim.

Maintenance

Use a non-abrasive cloth and neutral detergents for cleaning. Avoid acid detergents, chemicals and solvents.

**** Glass tile may be susceptible to scratching in handling and installation as well as use. Expect variation of color from production run to production run.****