

Clear & Natural




*Inspired By Nature,
Made Possible By...*

CANCOS
TILE AND STONE

Dune

GLA CNDU 58



| 5/8 x 5/8 |


GLA CNDU LIN



Lineality | mixed sizes |


Noce

GLA CNNO 58



| 5/8 x 5/8 |


GLA CNNO LIN



Lineality | mixed sizes |

Polar

GLA CNPO 58



| 5/8 x 5/8 |


GLA CNPO LIN



Lineality | mixed sizes |

Shore

GLA CNSH 58



| 5/8 x 5/8 |


GLA CNSH LIN



Lineality | mixed sizes |

Bubb

GLA CNBU 58



| 5/8 x 5/8 |

GLA CNBU LIN



Lineality | mixed sizes |



BUFF • 5/8 x 5/8

INSTALLATION AND MAINTENANCE INSTRUCTIONS FOR GLASS & STONE BLENDS

Installation

Only use adhesives with high adhesion and elasticity, which are especially recommended for installing glass. Make sure to get complete coverage. All substrates should be properly reinforced to be sure there is no movement. For mortar installations, the mortar bed has to be cured (less than 2% humidity) and has to have proper reinforcing. Please refer to the TCNA HANDBOOK for more specific information regarding installation of glass tile.

Adhesives & Grouting

Any type of cement based adhesive & grout is suitable.

Sealing

The product can be sealed with Fila's MP90 or a similar product as recommended by the manufacturer. Before applying the sealer to the installation, test it on a small area.

Maintenance

Use a non-abrasive cloth and neutral detergents for cleaning. Avoid acid detergents, chemicals and solvents.

Usage

It is recommended for interior walls, light duty floors, and showers as well as for areas submerged in water.

**** The product may be susceptible to scratching in handling and installation as well as use. Expect variation of color run from production to production.****