USA *Porcelain Pavers*

CANCOS
TILE & STONE

Chalet

BEIGE · BIANCO · DARK GRAY · GRAY

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVCHBE24

beige | 24 x 24 |

PAVCHBI24

bianco | 24 x 24 |

PAVCHDG24

dark gray | 24 x 24 |

PAVCHGR24

gray | 24 x 24 |

Cotto

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVCOTT24

| 24 x 24 |

Essence

BEIGE · GRAPHITE · GRAY · WHITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVESBE24

beige | 24 x 24 |

PAVESGP24

graphite | 24 x 24 |

PAVESGR24

gray | 24 x 24 |

PAVESWH24

white | 24 x 24 |

Garden

BIANCO · GRAY · NERO

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVGABI24

bianco | 24 x 24 |

PAVGAGR24

gray | 24 x 24 |

PAVGANE24

nero | 24 x 24 |

Hardwood

BROWN · GREY · IVORY

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVHABR24

brown | 24 x 24 |

PAVHAGR24

grey | 24 x 24 |

PAVHAIV24

ivory | 24 x 24 |

Mountain

BEIGE · GREY · NOCE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVMTBE1648

beige | 16 x 48 |

PAVMTGR1648

grey | 16 x 48 |

PAVMTNO1648

noce | 16 x 48 |

Moxie

ASH · BASALT · BONE
COGNAC · LEATHER · SAND

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVMOAS24



ash | 24 x 24 |

PAVMOAS1224



| 12 x 24 |

PAVMOBA24



basalt | 24 x 24 |

PAVMOBA1224



| 12 x 24 |

PAVMOBO24

bone | 24 x 24 |

PAVMOBO1224

| 12 x 24 |

PAVMOCO24



cognac | 24 x 24 |

PAVMOCO1224

| 12 x 24 |

PAVMOLE24



leather | 24 x 24 |

PAVMOLE1224

| 12 x 24 |

PAVMOSA24



sand | 24 x 24 |

PAVMOSA1224

| 12 x 24 |

National

CARRARA · DOLOMITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVNACR24

carrara | 24 x 24 |

PAVNADO24

dolomite | 24 x 24 |

Northeast

GREY · IVORY · WHITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVNOGR1632

grey

| 16 x 32 |

PAVNOIV1632

ivory

| 16 x 32 |

PAVNOWH1632

white

| 16 x 32 |

PAVNOGR24

| 24 x 24 |

PAVNOIV24

| 24 x 24 |

PAVNOWH24

| 24 x 24 |

Oceanstone

BLACK · TAN · WHITE COOL

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVOSBL24

black | 24 x 24 |

PAVOSBL1224

| 12x 24 |

PAVOSTA24

tan | 24 x 24 |

PAVOSTA1224

| 12x 24 |

PAVOSBL2448

black | 24 x 48 |

PAVOSWC24

white cool | 24 x 24 |

PAVOSWC1224

| 12x 24 |

Pennsylvania

FULL COLOR · TRUE BLUE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVPEFC24

full color | 24 x 24 |

PAVPETB24

true blue | 24 x 24 |

ALSO AVAILABLE IN:

12x12
(PAVPEFC12 / PAVPETB12)

12x24
(PAVPEFC1224 / PAVPETB1224)

12x48
(PAVPEFC1248 / PAVPETB1248)

24x48
(PAVPEFC2448 / PAVPETB2448)

12x24 BULLNOSE
(PAVPEFCBN1224 / PAVPETBBN1224)

Primi CEMENTO · CENERE · SANDALO

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVPMCM24



cemento | 24 x 24 |

PAVPMCN24



cenere | 24 x 24 |

PAVPMSA24

sandalo | 24 x 24 |

PAVPMCM2448



cemento | 24 x 48 |

PAVPMCN2448



cenere | 24 x 48 |

PAVPMSA2448

sandalo | 24 x 48 |

Quartzite

CLOUD · CRYSTAL WHITE · LAGUNA · SANDY ISLAND

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVQZCW24

crystal white | 24 x 24 |

PAVQZCW2448

crystal white | 24 x 48 |

PAVQZCL24

cloud | 24 x 24 |

PAVQZLA24

laguna | 24 x 24 |

PAVQZSI24

sandy island | 24 x 24 |

Stone

CREAMSTONE · MOONSTONE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVSNCR24

creamstone | 24 x 24 |

PAVSNCR2448

creamstone | 24 x 48 |

PAVSNMO24

moonstone | 24 x 24 |


LAKE NORMAN, NORTH CAROLINA, USA

MONT ROYAL, QUEBEC, CANADA


PRIVATE HOUSE, ARIZONA, USA

PRIVATE HOUSE, USA

PRIVATE HOUSE, USA

NAVARRE BEACH, FLORIDA, USA

PRIVATE HOUSE, USA

PRIVATE HOUSE, USA

Techno

COOL GREY · CHARCOAL · COOL WHITE
GREY BLACK · WHITE BLACK

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVTEGB24



grey black | 24 x 24 |

PAVTEGB1224

| 12 x 24 |

PAVTEWB24

white black | 24 x 24 |

PAVTEWB1224

| 12 x 24 |

PAVTECH24

charcoal | 24 x 24 |

PAVTECH1224

| 12 x 24 |

PAVTECG24



cool grey | 24 x 24 |

PAVTECG1224

| 12 x 24 |

PAVTECW24

cool white | 24 x 24 |

PAVTECW1224

| 12 x 24 |

Tivoli Travertine

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

AVORIO · CAPPUCCINO · CREMA · PEARL · RIVER · SHELL · SILVER · WALNUT

AVORIO

PAVTTAV24

| 24 x 24 |

PAVTTAV2448

| 24 x 48 |

CAPPUCCINO

PAVTTCA24

| 24 x 24 |

PAVTTCA2448

| 24 x 48 |

CREMA

PAVTTCR24

| 24 x 24 |

PAVTTCR2448

| 24 x 48 |

PEARL

PAVTTPE24

| 24 x 24 |

PAVTTPE2448

| 24 x 48 |

*ALSO AVAILABLE: 12X12 + 12X24

RIVER	SHELL	SILVER	WALNUT
PAVTTRI24	PAVTTSH24	PAVTTSI24	PAVTTWA24
| 24 x 24 |	| 24 x 24 |	| 24 x 24 |	| 24 x 24 |
PAVTTRI2448	PAVTTSH2448	PAVTTSI2448	PAVTTWA2448
| 24 x 48 |	| 24 x 48 |	| 24 x 48 |	| 24 x 48 |

*ALSO AVAILABLE: 12X12 + 12X24

NO DIVING

Timber

IPE · TEAK

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVTIIP24

ipe | 24 x 24 |

PAVTITE24

teak | 24 x 24 |

Travertini

BEIGE · GRAY

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVTRBE24

beige | 24 x 24 |

PAVTRBE1632

| 16 x 32 |

PAVTRGR24

gray | 24 x 24 |

PAVTRGR1632

| 16 x 32 |

Westside

BEIGE · GRAY · WHITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

PAVWSGR24

gray | 24 x 24 |

PAVWSWH24

white | 24 x 24 |

Garden

RECTIFIED MODULAR GRAY

Travertini

RECTIFIED MODULAR BEIGE

Formats	pieces	Sq.Ft.	pieces	Sq.Ft.
12"x12"	1	0.97	6	5.82
12"x24"	1	1.94	6	11.64
24"x24"	1	3.87	6	23.22
Total	3	6.78	18	40.70

PAVGAGR12MOD
PAVGAGR24MOD
PAVGAGR1224MOD

PAVTRBE12MOD
PAVTRBE24MOD
PAVTRBE1224MOD

TECHNICAL CHARACTERISTICS OF 2CM PORCELAIN PAVERS

Characteristic		Test Method	Value*
Thickness			3/4"
Weight			9 lb/sq.ft
Water absorption		ISO10545-3	<0.1%
Breaking strength		ISO 10545-4	> 2200 lbf
Modulus of rupture		ISO 10545-4	> 7000 psi
Static load capacity *	center side center diagonal	EN 12825	>1700 lbf > 1200 lbf > 1500 lbf
Bending strength		EN1339	Class 14
Impact resistance		ISO 10545-5	>0.55
Resistance to abrasion		ISO 10545-6	conforms
Resistance to abrasion		ISO 10545-6	conforms
Frost resistant		ISO 10545-12	resistant
Resistance to thermal shock		ISO 10545-9	resistant
Resistance to chemicals		ISO 10545-13	UA
Resistance to acids & alkalis		ISO 10545-13	ULA/UHA
Resistance to staining		ISO 10545-14	Class 5
Fire resistance		EN3501-1	A1-A1 FL
Barefoot ramp test		DIN 51097	A+B+C
Shod ramp test		DIN 51130	R11
Static coefficient of friction		ASTM C1028-2007	>0.6 wet >0.6 dry
Slip resistance		DM236/89 B.C.R.A.	>0.40

*Average values - compliant with relevant standard
** 24" x 24" pavers

WHERE TO INSTALL 2CM PORCELAIN PAVERS



Sidewalk cafes



Walkways and pathways

Gardens and patios



Garden paths



Beach resorts

Swimming-pools



Terraces and balconies



Gazebos



Exhibitions and events



Public parks



Public parkings

WHY CHOOSE 2CM PORCELAIN PAVERS



Thermal shock resistant. (-40°F - 210°F)

Superior in fire resistance and durability to wood tiles

Easy to clean. Stain, chemical and salt resistant

Superior in strength and impact resistance to ceramic tiles (supports over 2000lb), lighter and easier to handle than concrete blocks

Virtually no maintenance

Slip resistant and quick draining



Easy to install

Removable and reusable POPA 2.0 is ideal both for temporary flooring and for permanent flooring



Versatile installation. Varius installation methods including pedestal set, gravel and grass set. They offer endless opportunities for landscape design creativity in both domestic and commercial applications.



Fade resistant

Available in a broad range of colors/styles

Massive over life cost savings more cost effective than grating or grid structures for elevated paving installations

Resistant to salt corrosion.

Resistant to attack from mould, moss and verdigris treatments.



Resistant to eflorescence and other marks.



Durable: resistant to heavy vehicle and pedestrian traffic.

Frost-proof.



Hypoallergenic. No VOC.

Easy to sterilize.

Eco-friendly maintenance.

Easy to clean.

Recyclable and ecological.

HC
HEAVY COMMERCIAL

New solution in extra-thick porcelain stoneware for outdoor trilling. 2 cm thick, colored fine porcelain stoneware slabs obtained from atomizing high-class clays, quartzes and metal oxides pressed at 400 kg/cm^2, completely sintered at a temperature of 1200°C and then squared using a system of abrasive grinders.

CANCOS
TILE & STONE

*The marketing name for this product is property of Cancos Tile & Stone.
This same product may be marketed under different names.*