

USA Porcelain Pavers



CANCOS
TILE & STONE

Chalet

BEIGE · BIANCO · DARK GRAY · GRAY
NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVCHBE24



beige

| 24 x 24 |


PAVCHBI24



bianco

| 24 x 24 |

PAVCHDG24



dark gray

| 24 x 24 |

PAVCHGR24




gray

| 24 x 24 |

Cotto

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVCOTT24



| 24 x 24 |


Essence

BEIGE · GRAPHITE · GRAY · WHITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVESBE24



beige | 24 x 24 |

PAVESGP24



graphite | 24 x 24 |

PAVESGR24



gray | 24 x 24 |

PAVESWH24



white | 24 x 24 |

Garden

BIANCO · GRAY · NERO

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVGABI24



bianco | 24 x 24 |

PAVGAGR24



gray | 24 x 24 |

PAVGANE24



nero | 24 x 24 |

Hardwood

BROWN · GREY · IVORY

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVHABR24



brown

| 24 x 24 |

PAVHAGR24



grey

| 24 x 24 |

PAVHAIV24



ivory

| 24 x 24 |

Mountain

BEIGE · GREY · NOCE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVMTBE1648



beige | 16 x 48 |

PAVMTGR1648



grey | 16 x 48 |

PAVMTNO1648



noce | 16 x 48 |

Moxie

ASH · BASALT · BONE
COGNAC · LEATHER · SAND

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVMOAS24



ash


| 24 x 24 |

PAVMOAS1224



| 12 x 24 |

PAVMOBA24



basalt

| 24 x 24 |

PAVMOBA1224



| 12 x 24 |



PAVMOBO24



bone

| 24 x 24 |

PAVMOBO1224



| 12 x 24 |

PAVMOCO24



cognac

| 24 x 24 |

PAVMOCO1224



| 12 x 24 |

PAVMOLE24



leather

| 24 x 24 |

PAVMOLE1224



| 12 x 24 |

PAVMOSA24



sand

| 24 x 24 |

PAVMOSA1224



| 12 x 24 |


National

CARRARA · DOLOMITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVNACR24



carrara

| 24 x 24 |

PAVNADO24



dolomite

| 24 x 24 |

Northeast

GREY · IVORY · WHITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVNOGR1632

grey



| 16 x 32 |

PAVNOIV1632

ivory



| 16 x 32 |

PAVNOWH1632

white



| 16 x 32 |

PAVNOGR24



| 24 x 24 |

PAVNOIV24



| 24 x 24 |

PAVNOWH24




| 24 x 24 |

Oceanstone

BLACK · TAN · WHITE COOL
NON-STOCK / SPECIAL ORDER (1-2 WEEKS)




PAVOSBL24



black


| 24 x 24 |

PAVOSBL1224



| 12x 24 |

PAVOSTA24



tan


| 24 x 24 |

PAVOSTA1224



| 12x 24 |

PAVOSBL2448



black

| 24 x 48 |

PAVOSWC24



white cool

| 24 x 24 |

PAVOSWC1224



| 12x 24 |

Pennsylvania

FULL COLOR · TRUE BLUE
NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVPEFC24



full color

| 24 x 24 |

PAVPETB24



true blue

| 24 x 24 |

ALSO AVAILABLE IN:

12x12
(PAVPEFC12 / PAVPETB12)
12x24
(PAVPEFC1224 / PAVPETB1224)
12x48
(PAVPEFC1248 / PAVPETB1248)
24x48
(PAVPEFC2448 / PAVPETB2448)
12x24 BULLNOSE
(PAVPEFCBN1224 / PAVPETBBN1224)

Primi

CEMENTO · CENERE · SANDALO

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVPMCM24



cemento | 24 x 24 |

PAVPMCN24



cenere | 24 x 24 |

PAVPMSA24



sandalo | 24 x 24 |

PAVPMCM2448



cemento | 24 x 48 |

PAVPMCN2448



cenere | 24 x 48 |

PAVPMSA2448



sandalo | 24 x 48 |


Quartzite

CLOUD · CRYSTAL WHITE · LAGUNA · SANDY ISLAND

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVQZCW24



crystal white | 24 x 24 |

PAVQZCW2448



crystal white | 24 x 48 |

PAVQZCL24



cloud | 24 x 24 |

PAVQZLA24



laguna | 24 x 24 |

PAVQZSI24



sandy island | 24 x 24 |

Stone

CREAMSTONE · MOONSTONE
NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVSNCR24



creamstone | 24 x 24 |

PAVSNCR2448




creamstone | 24 x 48 |

PAVSNMO24




moonstone | 24 x 24 |



LAKE NORMAN, NORTH CAROLINA, USA



MONT ROYAL, QUEBEC, CANADA



PRIVATE HOUSE, ARIZONA, USA



PRIVATE HOUSE, USA



PRIVATE HOUSE, USA



NAVARRE BEACH, FLORIDA, USA



PRIVATE HOUSE, USA



PRIVATE HOUSE, USA


Techno

COOL GREY · CHARCOAL · COOL WHITE
GREY BLACK · WHITE BLACK

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)




PAVTEGB24



grey black

| 24 x 24 |


PAVTEGB1224



| 12 x 24 |




PAVTEWB24




white black | 24 x 24 |

PAVTEWB1224




| 12 x 24 |

PAVTECH24



charcoal | 24 x 24 |

PAVTECH1224



| 12 x 24 |

PAVTECG24



cool grey | 24 x 24 |

PAVTECG1224



| 12 x 24 |

PAVTECW24



cool white | 24 x 24 |

PAVTECW1224



| 12 x 24 |

Tivoli Travertine

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)

AVORIO · CAPPUCCINO · CREMA · PEARL · RIVER · SHELL · SILVER · WALNUT



AVORIO

CAPPUCCINO

CREMA

PEARL

PAVTTAV24



| 24 x 24 |

PAVTTCA24



| 24 x 24 |

PAVTTCR24



| 24 x 24 |

PAVTTPE24



| 24 x 24 |

PAVTTAV2448



| 24 x 48 |

PAVTTCA2448



| 24 x 48 |

PAVTTCR2448



| 24 x 48 |

PAVTTPE2448



| 24 x 48 |

*ALSO AVAILABLE: 12X12 + 12X24



RIVER

SHELL

SILVER


WALNUT

PAVTTRI24



| 24 x 24 |

PAVTTSH24



| 24 x 24 |

PAVTTSI24



| 24 x 24 |

PAVTTWA24



| 24 x 24 |

PAVTTRI2448



| 24 x 48 |

PAVTTSH2448



| 24 x 48 |

PAVTTSI2448



| 24 x 48 |

PAVTTWA2448



| 24 x 48 |

* ALSO AVAILABLE: 12X12 + 12X24

Timber

IPE · TEAK

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTIIP24



ipe

| 24 x 24 |

PAVTITE24



teak

| 24 x 24 |

Travertini

BEIGE · GRAY

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTRBE1632



PAVTRBE24



beige

| 24 x 24 |

| 16 x 32 |

PAVTRGR24



gray

| 24 x 24 |

PAVTRGR1632



| 16 x 32 |

Westside WHITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVWSWH24



white

| 24 x 24 |

Wood

DRIFTWOOD · OAKWOOD · PINewood
NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAWODW2448
PAWODW1248



| 24 x 48 | | 12 x 48 |

PAWOOW2448
PAWOOW1248



| 24 x 48 | | 12 x 48 |

PAWOPW2448
PAWOPW1248



| 24 x 48 | | 12 x 48 |

Garden

MODULAR GRAY

RECTIFIED EDGE



PAVGAGR12MOD
PAVGAGR24MOD
PAVGAGR1224MOD

Travertini

MODULAR BEIGE

RECTIFIED EDGE




PAVTRBE12MOD
PAVTRBE24MOD
PAVTRBE1224MOD




Formats	pieces	Sq.Ft.	pieces	Sq.Ft.
12"x12"	1	0.97	6	5.82
12"x24"	1	1.94	6	11.64
24"x24"	1	3.87	6	23.22
Total	3	6.78	18	40.70

WHERE TO INSTALL 2CM PORCELAIN PAVERS




Sidewalk cafes




Walkways and pathways



Gardens and patios




Garden paths




Beach resorts




Swimming-pools




Terraces and balconies




Gazebos



Exhibitions and events



Public parks



Public parkings

WHY CHOOSE 2CM PORCELAIN PAVERS




Thermal shock resistant.
(-40°F - 210°F)



Superior in fire resistance
and durability to wood tiles



Easy to clean. Stain,
chemical and salt resistant




Superior in strength and
impact resistance to
ceramic tiles (supports over
2000lb), lighter and easier
to handle than concrete
blocks



Virtually no maintenance




Slip resistant and quick
draining




Easy to install



Removable and reusable
POPA 2.0 is ideal both for
temporary flooring and for
permanent flooring



Versatile installation.
Various installation methods
including pedestal set,
gravel and grass set.
They offer endless
opportunities for landscape
design creativity in both
domestic and commercial
applications.




Fade resistant



Available in a broad range
of colors/styles




Massive over life cost
savings more cost effective
than grating or grid
structures for elevated
paving installations




Resistant to salt corrosion.



Resistant to attack from mould, moss and verdigris treatments.




Resistant to efflorescence and other marks.



Durable: resistant to heavy vehicle and pedestrian traffic.



Frost-proof.



Hypoallergenic. No VOC.



Easy to sterilize.



Eco-friendly maintenance.



Easy to clean.



Recyclable and ecological.



New solution in extra-thick porcelain stoneware for outdoor trilling. 2 cm thick, colored fine porcelain stoneware slabs obtained from atomizing high-class clays, quartzes and metal oxides pressed at 400 kg/cm², completely sintered at a temperature of 1200°C and then squared using a system of abrasive grinders.



TECHNICAL CHARACTERISTICS OF 2CM PORCELAIN PAVERS

Characteristic		Test Method	Value*
Thickness			3/4"
Weight			9 lb/sq.ft
Water absorption		ISO10545-3	<0.1%
Breaking strength		ISO 10545-4	> 2200 lbf
Modulus of rupture		ISO 10545-4	> 7000 psi
Static load capacity *	center	EN 12825	>1700 lbf
	side center		> 1200 lbf
	diagonal		> 1500 lbf
Bending strength		EN1339	Class 14
Impact resistance		ISO 10545-5	>0.55
Resistance to abrasion		ISO 10545-6	conforms
Resistance to abrasion		ISO 10545-6	conforms
Frost resistant		ISO 10545-12	resistant
Resistance to thermal shock		ISO 10545-9	resistant
Resistance to chemicals		ISO 10545-13	UA
Resistance to acids & alkalis		ISO 10545-13	ULA/UHA
Resistance to staining		ISO 10545-14	Class 5
Fire resistance		EN3501-1	A1-A1 FL
Barefoot ramp test		DIN 51097	A+B+C
Shod ramp test		DIN 51130	R11
Static coefficient of friction		ASTM C1028-2007	>0.6 wet >0.6 dry
Slip resistance		DM236/89 B.C.R.A.	>0.40

*Average values - compliant with relevant standard

** 24" x 24" pavers

