

Whisper

CERAMIC TILE
COLLECTION




CANCOS
TILE & STONE

Whisper
ANTRACITE



ANTRACITE

BELWHAN310



| 3x10 |

BELWHANBN30



| 3x10 bullnose |

AQUAMARINE

BELWHAQ35



| 3x5 |

BELWHAQ35D3



| 3x5 |

arabesque deco

BELWHAQ310



| 3x10 |

BELWHAQBN30



| 3x10 bullnose |

CENERE

BELWHCE35



| 3x5 |

BELWHCE35D2



| 3x5 |

plaid deco

BELWHCE310



| 3x10 |

BELWHCEBN30



| 3x10 bullnose |

GREIGE

BELWHGG310



| 3x10 |

BELWHGGBN



| .25x10 jolly |

PERLA

BELWHPE310



| 3x10 |

BELWHPEBN



| .25x10 jolly |

ZUCCHERO

BELWHZU310



| 3x10 |

BELWHZUBN



| .25x10 jolly |

TORTORA

BELWHTO310



| 3x10 |

BELWHTOCAP



| 2.4x10 capitello |

BELWHTOBN



| .25x10 jolly |

WHITE

BELWHWH35




| 3x5 |

BELWHWH316



| 3x16 |

BELWHWHBN30



| 3x10 bullnose |

BELWHWM310



| 3x10 |
matte

Whisper

PRODUCT SPECS

Tile Thickness	5/16"
Minimum Grout Joint Recommendation	1/8"
Shade Variation	V2

D.C.O.F. Wet	Moisture Absorption	Breaking Strength	MOH's Rating	Chemical Resistance	Abrasion Resistance
	<20%	100-230 lbs	4.0-6.5	Resistant	N/A

COMMERCIAL USAGE

APPLICATION	INTERIOR			EXTERIOR	
	Residential	Light Commercial	Commercial	Residential	Commercial
Floors / Patios (covered & uncovered)					
Walls / Backsplashes	X	X	X		
Countertops*					
Pool Deckings					
Pool Linings					

RESIDENTIAL USAGE

APPLICATION				
Floors	Walls	Countertops*	Exterior Patios	Exterior Pool Decks
	X			

Notes:

- Suitable for exterior walls in non-freezing climates when proper installation methods are followed.
- Darker colors may show scratches.

The marketing name for this product is property of Cancos Tile Corp. This same product may be marketed under different names.