

# 2cm Porcelain Pavers



**CANCOS**  
TILE & STONE

# Chalet

BEIGE · BIANCO · DARK GRAY · GRAY

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVCHBE24




beige | 24 x 24 |

PAVCHBI24




bianco | 24 x 24 |

PAVCHDG24



dark gray | 24 x 24 |

PAVCH\*\*BEV1224  
modern edge coping  
| 12 x 24 |



PAVCHGR24



gray | 24 x 24 |

# Cotto

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVCOTT24



| 24 x 24 |

PAVCOTTBN1224  
full bullnose coping  
| 12 x 24 |



PAVCOTTMIT1224  
L-shape mitered edge  
| 12 x 24 |



GRID SHOWN TO  
DEPICT VARIATION

# Domite DOVE


NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVDODOBN1224  
full bullnose coping  
| 12 x 24 |




PAVDODO12



| 12 x 12 |

PAVDODO1224



| 12 x 24 |

PAVDODO24



| 24 x 24 |

PAVDODO2448



| 24 x 48 |

PAVDODOMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Domite STEEL


NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVDOST12

| 12 x 12 |

PAVDOST1224



| 12 x 24 |

PAVDOST24

| 24 x 24 |

PAVDOST2448



| 24 x 48 |

PAVDOSTBN1224  
full bullnose coping  
| 12 x 24 |



PAVDOSTMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Domite WHEAT


NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVDOWH12

| 12 x 12 |

PAVDOWH1224



| 12 x 24 |

PAVDOWH24

| 24 x 24 |

PAVDOWH2448



| 24 x 48 |

PAVDOWHBN1224  
full bullnose coping  
| 12 x 24 |



PAVDOWHMIT1224  
L-shape mitered edge  
| 12 x 24 |




# Indiana BLANCO

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVINBL12



| 12 x 12 |

PAVINBL1224



| 12 x 24 |

PAVINBL24



| 24 x 24 |

PAVINBL2448



| 24 x 48 |

PAVINBLBN1224  
full bullnose coping  
| 12 x 24 |



PAVINBLMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Indiana BUFF


NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVINBUBN1224  
full bullnose coping  
| 12 x 24 |




PAVINBU12



| 12 x 12 |

PAVINBU1224



| 12 x 24 |

PAVINBU24



| 24 x 24 |

PAVINBU2448



| 24 x 48 |

PAVINBUMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Indiana WARM GRAY


NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVINWGBN1224  
full bullnose coping  
| 12 x 24 |




PAVINWG12



| 12 x 12 |

PAVINWG1224



| 12 x 24 |

PAVINWG24



| 24 x 24 |

PAVINWG2448



| 24 x 48 |

PAVINWGMIT1224  
L-shape mitered edge  
| 12 x 24 |




*Essence*

BEIGE · GRAPHITE · GRAY · WHITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVESBE24



beige | 24 x 24 |

PAVESGP24



graphite | 24 x 24 |

PAVESGR24




gray | 24 x 24 |

PAVESWH24



white | 24 x 24 |

PAVES\*\*BEV1224  
modern edge coping  
| 12 x 24 |



# Oceanstone

BLACK · TAN · WHITE COOL

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)




PAVOS\*\*BN1224  
full bullnose coping  
| 12 x 24 |



PAVOS\*\*MIT1224  
L-shape mitered edge  
| 12 x 24 |




PAVOSBL24



black | 24 x 24 |

PAVOSBL1224



| 12x 24 |

PAVOSTA24




tan | 24 x 24 |

PAVOSTA1224



| 12x 24 |

PAVOSBL2448



black | 24 x 48 |

PAVOSWC24



white cool | 24 x 24 |

PAVOSWC1224



| 12x 24 |

*Moxie*

ASH · BASALT · BONE  
COGNAC · LEATHER · SAND  
NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVMOAS24



ash


| 24 x 24 |

PAVMOAS1224



| 12 x 24 |

PAVMOBA24



basalt

| 24 x 24 |


PAVMOBA1224



| 12 x 24 |



PAVMO\*\*BN1224  
full bullnose coping  
| 12 x 24 |



PAVMO\*\*MIT1224  
L-shape mitered edge  
| 12 x 24 |



PAVMOBO24



bone | 24 x 24 |

PAVMOBO1224



| 12 x 24 |

PAVMOCO24



cognac | 24 x 24 |

PAVMOCO1224



| 12 x 24 |

PAVMOLE24



leather | 24 x 24 |

PAVMOLE1224



| 12 x 24 |

PAVMOSA24



sand | 24 x 24 |

PAVMOSA1224



| 12 x 24 |

# National CARRARA · DOLOMITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)




PAVNACR24



carrara

| 24 x 24 |

PAVNADO24




dolomite

| 24 x 24 |

PAVNA\*\*BEV1224

modern edge coping

| 12 x 24 |



# Northeast

GREY · IVORY · WHITE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



GREY

IVORY


WHITE

PAVNOGR1632

PAVNOIV1632

PAVNOWH1632

PAVNO\*\*BEV1224  
modern edge coping  
| 12 x 24 |



| 16 x 32 |

| 16 x 32 |

| 16 x 32 |

PAVNOGR24

PAVNOIV24

PAVNOWH24



| 24 x 24 |

| 24 x 24 |

| 24 x 24 |

# Pennsylvania

## FULL COLOR

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)




PAVPEFCBN1224  
full bullnose coping  
| 12 x 24 |



PAVPEFCMIT1224  
L-shape mitered edge  
| 12 x 24 |



PAVPEFC24




| 24 x 24 |

PAVPEFC2448




| 24 x 48 |

PAVPEFC12




| 12 x 12 |

PAVPEFC1224



| 12 x 24 |

PAVPEFC1248




| 12 x 48 |


# Pennsylvania

## TRUE BLUE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVPETBBN1224  
full bullnose coping  
| 12 x 24 |



PAVPETBMIT1224  
L-shape mitered edge  
| 12 x 24 |



PAVPETB24




| 24 x 24 |

PAVPETB2448




| 24 x 48 |

PAVPETB12




| 12 x 12 |

PAVPETB1224



| 12 x 24 |

PAVPETB1248



| 12 x 48 |

# Primi CEMENTO · CENERE · SANDALO

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVPMCM24



cemento | 24 x 24 |

PAVPMCN24



cenere | 24 x 24 |

PAVPMSA24



sandalo | 24 x 24 |

PAVPM\*\*BN1224  
full bullnose coping  
| 12 x 24 |



PAVPMCM2448



cemento | 24 x 48 |

PAVPMCN2448



cenere | 24 x 48 |

PAVPMSA2448



sandalo | 24 x 48 |

PAVPM\*\*MIT1224  
L-shape mitered edge  
| 12 x 24 |



# Quartzite

CLOUD · CRYSTAL WHITE · LAGUNA · SANDY ISLAND

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVQZ\*\*BN1224  
full bullnose coping  
| 12 x 24 |



PAVQZ\*\*MIT1224  
L-shape mitered edge  
| 12 x 24 |



PAVQZCW24



crystal white | 24 x 24 |

PAVQZCW2448



crystal white | 24 x 48 |

PAVQZCL24




cloud | 24 x 24 |

PAVQZLA24



laguna | 24 x 24 |

PAVQZSI24



sandy island | 24 x 24 |


*Techno*

COOL GREY · CHARCOAL · COOL WHITE  
GREY BLACK · WHITE BLACK

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)




PAVTEGB24



grey black | 24 x 24 |

PAVTEGB1224



| 12 x 24 |




PAVTE\*\*BN1224  
full bullnose coping  
| 12 x 24 |



PAVTE\*\*MIT1224  
L-shape mitered edge  
| 12 x 24 |




PAVTEWB24




white black | 24 x 24 |

PAVTEWB1224



| 12 x 24 |

PAVTECH24



charcoal | 24 x 24 |

PAVTECH1224



| 12 x 24 |

PAVTECG24



cool grey | 24 x 24 |

PAVTECG1224



| 12 x 24 |

PAVTECW24



cool white | 24 x 24 |

PAVTECW1224



| 12 x 24 |

# Tivoli Travertine

## AVORIO

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTTAVBN1224  
full bullnose coping  
| 12 x 24 |



PAVTTAV12



| 12 x 12 |

PAVTTAV1224



| 12 x 24 |

PAVTTAV24



| 24 x 24 |

PAVTTAV2448



| 24 x 48 |

PAVTTAVMIT1224  
L-shape mitered edge  
| 12 x 24 |




# Tivoli Travertine

## CAPPUCCINO

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTTCA12



| 12 x 12 |

PAVTTCA1224



| 12 x 24 |

PAVTTCA24



| 24 x 24 |

PAVTTCA2448



| 24 x 48 |

PAVTTCABN1224  
full bullnose coping  
| 12 x 24 |



PAVTTCAMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Tivoli Travertine

## CREMA

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)




PAVTTCR12



| 12 x 12 |

PAVTTCR1224



| 12 x 24 |

PAVTTCR24



| 24 x 24 |

PAVTTCR2448



| 24 x 48 |

PAVTTCRBN1224  
full bullnose coping  
| 12 x 24 |



PAVTTCRMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Tivoli Travertine

PEARL

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTTPE12



| 12 x 12 |

PAVTTPE1224



| 12 x 24 |

PAVTTPE24



| 24 x 24 |

PAVTTPE2448



| 24 x 48 |

PAVTTPEBN1224  
full bullnose coping  
| 12 x 24 |



PAVTTPEMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Tivoli Travertine RIVER

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTTRI12



| 12 x 12 |

PAVTTRI1224



| 12 x 24 |

PAVTTRI24



| 24 x 24 |

PAVTTRI2448



| 24 x 48 |

PAVTTRIBN1224  
full bullnose coping  
| 12 x 24 |



PAVTTRIMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Tivoli Travertine SHELL

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTTSH12



| 12 x 12 |

PAVTTSH1224



| 12 x 24 |

PAVTTSH24



| 24 x 24 |

PAVTTSH2448



| 24 x 48 |

PAVTTSHBN1224  
full bullnose coping  
| 12 x 24 |



PAVTTSHMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Tivoli Travertine SILVER

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTTSI12



| 12 x 12 |

PAVTTSI1224



| 12 x 24 |

PAVTTSI24



| 24 x 24 |

PAVTTSI2448



| 24 x 48 |

PAVTTSIBN1224  
full bullnose coping  
| 12 x 24 |



PAVTTSIMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Tivoli Travertine

## WALNUT

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)




PAVTTWA12



| 12 x 12 |

PAVTTWA1224



| 12 x 24 |

PAVTTWA24



| 24 x 24 |

PAVTTWA2448



| 24 x 48 |

PAVTTWABN1224  
full bullnose coping  
| 12 x 24 |



PAVTTWAMIT1224  
L-shape mitered edge  
| 12 x 24 |



# Stone CREAMSTONE · MOONSTONE

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVSNMO24



moonstone | 24 x 24 |

PAVSNCR24




creamstone | 24 x 24 |

PAVSNCR2448



creamstone | 24 x 48 |

PAVSN\*\*BN1224  
full bullnose coping  
| 12 x 24 |



PAVSN\*\*MIT1224  
L-shape mitered edge  
| 12 x 24 |



# Travertini BEIGE · GRAY

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTRBE1632



PAVTRBE24



beige | 24 x 24 | | 16 x 32 |

PAVTRGR24




gray | 24 x 24 | | 16 x 32 |

PAVTRGR1632



PAVTR\*\*BEV1224  
modern edge coping  
| 12 x 24 |




# Hardwood

BROWN · GREY · IVORY

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVHA\*\*BN1224  
full bullnose coping  
| 12 x 24 |



PAVHA\*\*MIT1224  
L-shape mitered edge  
| 12 x 24 |



PAVHABR24



brown

| 24 x 24 |

PAVHAGR24



grey

| 24 x 24 |

PAVHAIV24



ivory


| 24 x 24 |

# Timber IPE · TEAK

NON-STOCK / SPECIAL ORDER (1-2 WEEKS)



PAVTI\*\*BN1224  
full bullnose coping  
| 12 x 24 |



PAVTI\*\*MIT1224  
L-shape mitered edge  
| 12 x 24 |



PAVTIIP24



ipe

| 24 x 24 |

PAVTITE24



teak

| 24 x 24 |

# WHY CHOOSE 2CM PORCELAIN PAVERS



Thermal shock resistant.  
(-40°F - 210°F)



Superior in fire resistance  
and durability to wood tiles



Easy to clean. Stain,  
chemical and salt resistant




Superior in strength and  
impact resistance to  
ceramic tiles (supports over  
2000lb), lighter and easier  
to handle than concrete  
blocks



Virtually no maintenance




Slip resistant and quick  
draining




Easy to install



Removable and reusable  
POPA 2.0 is ideal both for  
temporary flooring and for  
permanent flooring



Versatile installation.  
Various installation methods  
including pedestal set,  
gravel and grass set.  
They offer endless  
opportunities for landscape  
design creativity in both  
domestic and commercial  
applications.



Fade resistant



Available in a broad range  
of colors/styles




Massive over life cost  
savings more cost effective  
than grating or grid  
structures for elevated  
paving installations




Resistant to salt corrosion.



Resistant to attack from mould, moss and verdigris treatments.




Resistant to efflorescence and other marks.



Durable: resistant to heavy vehicle and pedestrian traffic.



Frost-proof.



Hypoallergenic. No VOC.



Easy to sterilize.



Eco-friendly maintenance.



Easy to clean.




Recyclable and ecological.




New solution in extra-thick porcelain stoneware for outdoor trilling. 2 cm thick, colored fine porcelain stoneware slabs obtained from atomizing high-class clays, quartzes and metal oxides pressed at 400 kg/cm<sup>2</sup>, completely sintered at a temperature of 1200°C and then squared using a system of abrasive grinders.

# WHERE TO INSTALL 2CM PORCELAIN PAVERS




Sidewalk cafes




Walkways and pathways



Gardens and patios




Garden paths




Beach resorts




Swimming-pools




Terraces and balconies




Gazebos



Exhibitions and events



Public parks




Public parkings



LAKE NORMAN, NORTH CAROLINA, USA



MONT ROYAL, QUEBEC, CANADA



PRIVATE HOUSE, ARIZONA, USA



PRIVATE HOUSE, USA



PRIVATE HOUSE, USA



NAVARRE BEACH, FLORIDA, USA



PRIVATE HOUSE, USA



PRIVATE HOUSE, USA

# TECHNICAL CHARACTERISTICS OF 2CM PORCELAIN PAVERS

Characteristic	Test Method	Value*
Thickness		3/4"
Weight		9 lb/sq.ft
Water absorption	ISO10545-3	<0.1%
Breaking strength	ISO 10545-4	> 2200 lbf
Modulus of rupture	ISO 10545-4	> 7000 psi
Static load capacity *	center side center diagonal	EN 12825 >1700 lbf > 1200 lbf > 1500 lbf
Bending strength	EN1339	Class 14
Impact resistance	ISO 10545-5	>0.55
Resistance to abrasion	ISO 10545-6	conforms
Resistance to abrasion	ISO 10545-6	conforms
Frost resistant	ISO 10545-12	resistant
Resistance to thermal shock	ISO 10545-9	resistant
Resistance to chemicals	ISO 10545-13	UA
Resistance to acids & alkalis	ISO 10545-13	ULA/UHA
Resistance to staining	ISO 10545-14	Class 5
Fire resistance	EN3501-1	A1-A1 FL
Barefoot ramp test	DIN 51097	A+B+C
Shod ramp test	DIN 51130	R11
Static coefficient of friction	ASTM C1028-2007	>0.6 wet >0.6 dry
Slip resistance	DM236/89 B.C.R.A.	>0.40

\*Average values - compliant with relevant standard

\*\* 24" x 24" pavers



