Havana

CERAMIC TILE



CANCOS
TILE & STONE



BELHABK312

- 3x12 -

BELHABK312STR

- 3x12 structured -

BELHABKJOLLY

- .5x12 jolly -



BELHABL312

- 3x12 -

BELHABL312STR

- 3x12 structured -

BELHABKJOLLY

- .5x12 jolly -



BELHAFO312

- 3x12 -

BELHAFO312STR

- 3x12 structured -

BELHAFOJOLLY

- .5x12 jolly -



BELHAGO312

- 3x12 -

BELHAGO312STR

- 3x12 structured -

BELHAGOJOLLY

- .5x12 jolly -

BELHAGN312

- 3x12 -

BELHAGN312STR

- 3x12 structured -

BELHAGNJOLLY

- .5x12 jolly -





BELHAIV312

- 3x12 -

BELHAIV312STR

- 3x12 structured -

BELHAIVJOLLY

- .5x12 jolly -



BELHAOL312

- 3x12 -

BELHAOL312STR

- 3x12 structured -

BELHAOLJOLLY

- .5x12 jolly -

BELHAOR312

- 3x12 -

BELHAOR312STR

- 3x12 structured -

BELHAORJOLLY

- .5x12 jolly -



BELHATA312

- 3x12 -

BELHATA312STR

- 3x12 structured -

BELHATAJOLLY

- .5x12 jolly -

BELHAWH312

- 3x12 -

BELHAWH312STR

- 3x12 structured -

BELHAWHJOLLY

- .5x12 jolly -

HAVANA COLLECTION

TILE

Size(s)	Type	Finish
3"x12"	Ceramic	Glossy, White-Body
3"x12" structured	**Thickness**	**Edge**
.5"x12" jolly	9mm	Straight / Pressed

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8"	Low (V1)

NOTES

- Variations occur in all fired ceramic and natural tile products.
- Random visual variation enhances the natural beauty of this product.
- For optimal results:
  - Select tile from multiple cartons.
  - Plan shading and graphic arrangement prior to installation.
- Tile/trim supplied for a particular installation may not match samples exactly.
- Final confirmation of actual tiles and trim should be made prior to installation.
- Products are manufactured in accordance with ANSI A137.1 standards.
- Use of a latex-modified thin-set is recommended for installation.
- Special care should be taken when grouting with dark pigmented colors.

CERTIFICATES

PERFORMANCE

	ASTM#	Wall Result
Water Absorption	C373	< 16.0%
Breaking Strength	C648	120 lbs - 230 lbs
Scratch Hardness	MOHS	5.0
Chemical Resistance	C650	Resistant

FIre-Resistant | Dentproof | Stainproof | Easy-to-Clean

APPLICATIONS

	Suitable
Dry & Level - Interior Floor	
Wet & Level - Interior Floor	
Shower Floors - Residential or Light Commercial	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	
Ramps & Inclines	
Walls/Backsplashes - Interior Use Only	✔
Countertops	
Pool Linings	✔

CANCOS TILE & STONE